

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Summary of Results

| Analysis Type     | SOP            | Date Tested | Status   |
|-------------------|----------------|-------------|----------|
| Cannabinoids      | EA-SOP-POTENCY | 01/04/2023  | Complete |
| Heavy Metals      | EA-SOP-HM      | 01/07/2023  | Pass     |
| Microbials        | EA-SOP-ARIA    | 01/08/2023  | Pass     |
| Mycotoxins        | EA-SOP-MYCO    | 01/09/2023  | Pass     |
| Residual Solvents | EA-SOP-RES     | 01/09/2023  | Pass     |
| Pesticides        | EA-SOP-PEST    | 01/09/2023  | Pass     |



Unit Size (g): 2

## POTENCY CANNABINOID PROFILE

|                                                 |                                                   |
|-------------------------------------------------|---------------------------------------------------|
| Total THC<br>THCA * 0.877 + D9-THC<br><b>UI</b> | Total CBD<br>CBDA * 0.877 + CBD<br><b>&lt;LOQ</b> |
|-------------------------------------------------|---------------------------------------------------|

| Analyte                               | Result (mg/g) | mg/unit | w/w % | LOQ (ppm) | LOD (ppm) |
|---------------------------------------|---------------|---------|-------|-----------|-----------|
| CANNABIDIVARIN (CBDV)                 | <LOD          | <LOD    | <LOD  | 100       | 30        |
| CANNABICHROMENE (CBC)                 | <LOD          | <LOD    | <LOD  | 100       | 30        |
| CANNABIGEROL (CBG)                    | <LOQ          | <LOQ    | <LOQ  | 100       | 30        |
| CANNABINOL (CBN)                      | <LOQ          | <LOQ    | <LOQ  | 100       | 30        |
| CANNABIDIOL (CBD)                     | <LOQ          | <LOQ    | <LOQ  | 100       | 30        |
| CANNABIDIOLIC ACID (CBDA)             | <LOD          | <LOD    | <LOD  | 100       | 30        |
| Δ9-TETRAHYDROCANNABINOLIC ACID (THCA) | <LOD          | <LOD    | <LOD  | 100       | 30        |
| Δ9-TETRAHYDROCANNABINOL (D9-THC)      | UI            | UI      | UI    | 100       | 30        |
| Δ8-TETRAHYDROCANNABINOL (D8-THC)      | 679.84        | 1359.68 | 67.98 | 100       | 30        |

### NOTES:

NT = NOT TESTED; LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION; UI = UNIDENTIFIABLE



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Heavy Metal Analysis

| Analyte | Result (ppm) | LOQ (ppm) | LOD (ppm) | Limit (ppm) | Pass/Fail |
|---------|--------------|-----------|-----------|-------------|-----------|
| Arsenic | <LOD         | 0.010     | 0.005     | 1.5         | Pass      |
| Cadmium | <LOD         | 0.010     | 0.005     | 0.5         | Pass      |
| Lead    | <LOD         | 0.010     | 0.005     | 0.5         | Pass      |
| Mercury | <LOD         | 0.010     | 0.005     | 3.0         | Pass      |

## Microbiological Analysis

| Microbe                    | Result       | Limit       | Pass/Fail |
|----------------------------|--------------|-------------|-----------|
| Aspergillus Flavus         | Negative/1g  | Negative/1g | Pass      |
| Aspergillus Fumigatus      | Negative/1g  | Negative/1g | Pass      |
| Aspergillus Niger          | Negative/1g  | Negative/1g | Pass      |
| Aspergillus Terreus        | Negative/1g  | Negative/1g | Pass      |
| Escherichia Coli (E. Coli) | Not Detected | 100 CFU/g   | Pass      |
| Salmonella                 | Negative/1g  | Negative/1g | Pass      |
| Yeast/Mold                 | Not Detected | -           | Pass      |

### NOTES:

CFU = Colony Forming Unit  
NS = Not Specified  
NT = Not Tested

LOQ = Limit of Quantification  
LOD = Limit of Detection



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Mycotoxins

| Analyte          | Result (ppb) | LOD (ppb) | LOQ (ppb) | Limit (ppb) | Pass/Fail |
|------------------|--------------|-----------|-----------|-------------|-----------|
| Aflatoxin B1     | <LOD         | 3.0       | 9.0       | -           | -         |
| Aflatoxin B2     | <LOD         | 2.0       | 9.0       | -           | -         |
| Aflatoxin G1     | <LOD         | 3.0       | 9.0       | -           | -         |
| Aflatoxin G2     | <LOD         | 2.0       | 6.0       | -           | -         |
| Ochratoxin A     | <LOD         | 4.0       | 12.0      | 20          | Pass      |
| Total Aflatoxins | <LOD         |           |           | 20          | Pass      |

## Residual Solvent Analysis

| Analyte             | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|---------------------|--------------|-----------|-----------|-------------|-----------|
| 1,2-Dichloro-Ethane | <LOD         | 0.10      | 0.30      | 1           | Pass      |
| Benzene             | <LOD         | 0.03      | 0.10      | 1           | Pass      |
| Chloroform          | <LOD         | 0.03      | 0.10      | 1           | Pass      |
| Ethylene Oxide      | <LOD         | 0.20      | 0.60      | 1           | Pass      |
| Methylene-Chloride  | <LOD         | 0.10      | 0.80      | 1           | Pass      |
| Trichloroethene     | <LOD         | 0.03      | 0.20      | 1           | Pass      |
| Acetone             | <LOD         | 1         | 60        | 5000        | Pass      |
| Acetonitrile        | <LOD         | 1         | 5         | 410         | Pass      |
| Butane              | <LOD         | 1         | 5         | 5000        | Pass      |
| Ethanol             | <LOD         | 3         | 10        | 5000        | Pass      |
| Ethyl-Acetate       | <LOD         | 1         | 5         | 5000        | Pass      |
| Ethyl-Ether         | <LOD         | 1         | 5         | 5000        | Pass      |
| Heptane             | <LOD         | 1         | 5         | 5000        | Pass      |
| n-Hexane            | <LOD         | 1         | 5         | 290         | Pass      |
| Isopropanol         | <LOD         | 1         | 5         | 5000        | Pass      |
| Methanol            | <LOD         | 1         | 5         | 3000        | Pass      |
| Pentane             | <LOD         | 2         | 5         | 5000        | Pass      |
| Propane             | <LOD         | 5         | 10        | 5000        | Pass      |
| Toluene             | <LOD         | 1         | 5         | 890         | Pass      |
| Xylenes             | <LOD         | 1         | 5         | 2170        | Pass      |



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Category 1 Pesticide Analysis

| Analyte          | Result (ppm) | LOD (ppm) | LOQ (ppm) | Pass/Fail |
|------------------|--------------|-----------|-----------|-----------|
| Aldicarb         | <LOD         | 0.025     | 0.075     | Pass      |
| Carbofuran       | <LOD         | 0.025     | 0.075     | Pass      |
| Chlordane        | <LOD         | 0.025     | 0.075     | Pass      |
| Chlorfenapyr     | <LOD         | 0.025     | 0.075     | Pass      |
| Chlorpyrifos     | <LOD         | 0.025     | 0.075     | Pass      |
| Coumaphos        | <LOD         | 0.025     | 0.075     | Pass      |
| Daminozide       | <LOD         | 0.030     | 0.080     | Pass      |
| Dichlorvos       | <LOD         | 0.025     | 0.075     | Pass      |
| Dimethoate       | <LOD         | 0.025     | 0.075     | Pass      |
| Ethoprophos      | <LOD         | 0.025     | 0.075     | Pass      |
| Etofenprox       | <LOD         | 0.025     | 0.075     | Pass      |
| Fenoxycarb       | <LOD         | 0.025     | 0.075     | Pass      |
| Fipronil         | <LOD         | 0.025     | 0.075     | Pass      |
| Imazalil         | <LOD         | 0.025     | 0.075     | Pass      |
| Methiocarb       | <LOD         | 0.025     | 0.075     | Pass      |
| Mevinphos        | <LOD         | 0.025     | 0.075     | Pass      |
| Paclobutrazol    | <LOD         | 0.025     | 0.075     | Pass      |
| Parathion Methyl | <LOD         | 0.025     | 0.075     | Pass      |
| Propoxur         | <LOD         | 0.025     | 0.075     | Pass      |
| Spiroxamine      | <LOD         | 0.025     | 0.075     | Pass      |
| Thiacloprid      | <LOD         | 0.025     | 0.075     | Pass      |



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Category 2 Pesticide Analysis

| Analyte             | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|---------------------|--------------|-----------|-----------|-------------|-----------|
| Abamectin           | <LOD         | 0.010     | 0.050     | 0.3         | Pass      |
| Acephate            | <LOD         | 0.020     | 0.050     | 5           | Pass      |
| Acequinocyl         | <LOD         | 0.020     | 0.075     | 4           | Pass      |
| Acetamiprid         | <LOD         | 0.020     | 0.050     | 5           | Pass      |
| Azoxystrobin        | <LOD         | 0.010     | 0.050     | 40          | Pass      |
| Bifenazate          | <LOD         | 0.020     | 0.050     | 5           | Pass      |
| Bifenthrin          | <LOD         | 0.020     | 0.050     | 0.5         | Pass      |
| Boscalid            | <LOD         | 0.020     | 0.075     | 10          | Pass      |
| Captan              | <LOD         | 0.150     | 0.400     | 5           | Pass      |
| Carbaryl            | <LOD         | 0.020     | 0.050     | 0.5         | Pass      |
| Chlorantraniliprole | <LOD         | 0.025     | 0.075     | 40          | Pass      |
| Clofentezine        | <LOD         | 0.020     | 0.050     | 0.5         | Pass      |
| Cyfluthrin          | <LOD         | 0.020     | 0.075     | 1           | Pass      |
| Cypermethrin        | <LOD         | 0.020     | 0.050     | 1           | Pass      |
| Diazinon            | <LOD         | 0.010     | 0.050     | 0.2         | Pass      |
| Dimethomorph        | <LOD         | 0.020     | 0.050     | 20          | Pass      |
| Etoxazole           | <LOD         | 0.010     | 0.050     | 1.5         | Pass      |
| Fenhexamid          | <LOD         | 0.020     | 0.050     | 10          | Pass      |
| Fenpyroximate       | <LOD         | 0.010     | 0.050     | 2           | Pass      |
| Flonicamid          | <LOD         | 0.030     | 0.090     | 2           | Pass      |
| Fludioxonil         | <LOD         | 0.020     | 0.050     | 30          | Pass      |
| Hexythiazox         | <LOD         | 0.030     | 0.090     | 2           | Pass      |
| Imidacloprid        | <LOD         | 0.030     | 0.075     | 3           | Pass      |



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.

Customer:  
TRE House  
19851 Nordhoff Pl  
Chatsworth, CA 91311  
+1 888-991-7471

EA Sample ID: 23EA0104-008  
Sample Name: Live Resin Disposable - Green Crack - 2g  
Sample Type: Concentrate  
Batch/Lot: GCVP246  
Reference #:

Date Received:  
01/04/2023  
Date Completed:  
01/09/2023



ETHOS  
ANALYTICS

# CERTIFICATE OF ANALYSIS

## Category 2 Pesticide Analysis Continued

| Analyte                 | Result (ppm) | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Pass/Fail |
|-------------------------|--------------|-----------|-----------|-------------|-----------|
| Kresoxim Methyl         | <LOD         | 0.020     | 0.050     | 1           | Pass      |
| Malathion               | <LOD         | 0.020     | 0.050     | 5           | Pass      |
| Metalaxyl               | <LOD         | 0.010     | 0.050     | 15          | Pass      |
| Methomyl                | <LOD         | 0.020     | 0.050     | 0.1         | Pass      |
| Myclobutanil            | <LOD         | 0.020     | 0.075     | 9           | Pass      |
| Naled                   | <LOD         | 0.020     | 0.075     | 0.5         | Pass      |
| Oxamyl                  | <LOD         | 0.020     | 0.050     | 0.3         | Pass      |
| Pentachloronitrobenzene | <LOD         | 0.020     | 0.075     | 0.2         | Pass      |
| Permethrin              | <LOD         | 0.010     | 0.050     | 20          | Pass      |
| Phosmet                 | <LOD         | 0.020     | 0.050     | 0.2         | Pass      |
| Piperonyl Butoxide      | <LOD         | 0.010     | 0.050     | 8           | Pass      |
| Prallethrin             | <LOD         | 0.025     | 0.075     | 0.4         | Pass      |
| Propiconazole           | <LOD         | 0.020     | 0.075     | 20          | Pass      |
| Pyrethrins              | <LOD         | 0.010     | 0.050     | 1           | Pass      |
| Pyridaben               | <LOD         | 0.020     | 0.050     | 3           | Pass      |
| Spinetoram              | <LOD         | 0.010     | 0.050     | 3           | Pass      |
| Spinosad                | <LOD         | 0.010     | 0.050     | 3           | Pass      |
| Spiromesifen            | <LOD         | 0.020     | 0.050     | 12          | Pass      |
| Spirotetramat           | <LOD         | 0.020     | 0.050     | 13          | Pass      |
| Tebuconazole            | <LOD         | 0.020     | 0.050     | 2           | Pass      |
| Thiamethoxam            | <LOD         | 0.020     | 0.075     | 4.5         | Pass      |
| Trifloxystrobin         | <LOD         | 0.010     | 0.050     | 30          | Pass      |



Ethos Analytics Laboratory  
3020 E Camelback Rd STE 397  
Phoenix, AZ 85016  
Info@Ethosanalytics.io  
www.Ethosanalytics.io  
Lic #: 000026LRCND60176649  
ISO/IEC 17025 Acc #: 117798

Noel Samsum  
Laboratory Director  
9-Jan-2023

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.