



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

1 of 5

TREHouse-Syrup-Bussing Berry 1000mg

Sample ID: 2211CCT5584.14560

Strain: Bussing Berry

Matrix: Ingestible

Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 11/22/2022

Received: 11/22/2022

Completed: 11/29/2022

Batch#: D92-BB1000

Distributor

TRE House

Lic. #

19851 Nordhoff Place #105
Chatsworth, CA 91311

Producer

R&D



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/23/2022	Pass
Moisture	11/29/2022	NR - Complete
Residual Solvents	11/25/2022	Pass
Microbials	11/25/2022	Pass
Pesticides	11/28/2022	Pass
Heavy Metals	11/25/2022	Pass
Foreign Matter	11/22/2022	Pass

Cannabinoids

Pass

18.153 mg/serving

Total THC

ND

Total CBD

53.115 mg/serving

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result	Result	Result
	mg/g	mg/g	mg/container	mg/g	%	mg/mL	mg/serving	mg/unit
THCa	0.00500	0.01000	<1.459 mg/container	<0.010 mg/g	<0.001%	<0.013 mg/mL	<0.063 mg/serving	<0.063 mg/unit
Δ9-THC	0.00500	0.01000	417.523	2.863	0.286	3.631	18.153	18.153
Δ8-THC	0.00500	0.01000	781.415	5.358	0.536	6.795	33.975	33.975
THCV	0.00500	0.01000	ND	ND	ND	ND	ND	ND
CBDa	0.00500	0.01000	ND	ND	ND	ND	ND	ND
CBD	0.00500	0.01000	ND	ND	ND	ND	ND	ND
CBDV	0.00500	0.01000	ND	ND	ND	ND	ND	ND
CBN	0.00500	0.01000	9.451	0.065	0.006	0.082	0.411	0.411
CBGa	0.00500	0.01000	ND	ND	ND	ND	ND	ND
CBG	0.00500	0.01000	11.683	0.080	0.008	0.102	0.508	0.508
CBC	0.00500	0.01000	1.561	0.011	0.001	0.014	0.068	0.068
Total THC			417.523	2.863	0.286	3.631	18.153	18.153
Total CBD			ND	ND	ND	ND	ND	ND
Total			1221.634	8.376	0.838	10.623	53.115	53.115

Density: 1.2683g/mL

Date Tested: 11/23/2022

1 Unit = 6.3415g. 1 mL = 1.2683g. 23 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total cannabinoid concentration (mg/g) = (cannabinoid acid form concentration (mg/g) x 0.877) + cannabinoid concentration (mg/g); LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730. Instrument: HPLC UV-DAD; Method: CCTL-PM002. Samples were collected as per 4 CCR Section 15707

NR

Moisture Content

Moisture Analyzer

Not Required

Water Activity

Rotronic AwTherm

Pass

Foreign Matter

Intertek Magnifier Lamp



P. M. Augi

Satish Annigeri
Scientific Director
11/29/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-PM-003. Moisture Content Method: CCTL-PM-027. Water Activity Method: CCTL-PM-028. This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Informational Use Only - Not For Regulatory Use

2 of 5

TREHouse-Syrup-Bussing Berry 1000mg

Sample ID: 2211CCT5584.14560

Strain: Bussing Berry

Matrix: Ingestible

Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 11/22/2022

Received: 11/22/2022

Completed: 11/29/2022

Batch#: D92-BB1000

Distributor

TRE House

Producer

R&D

Lic. #

19851 Nordhoff Place #105
Chatsworth, CA 91311

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.006176	0.01235	0.1	ND	Pass	Fludioxonil	0.006176	0.01235	0.1	ND	Pass
Acephate	0.006176	0.01235	0.1	ND	Pass	Hexythiazox	0.006176	0.01235	0.1	ND	Pass
Acequinocyl	0.0125	0.025	0.1	ND	Pass	*Imazalil	0.006176	0.01235	0.006176	ND	Pass
Acetamiprid	0.006176	0.01235	0.1	ND	Pass	Imidacloprid	0.006176	0.01235	5	ND	Pass
*Aldicarb	0.006176	0.01235	0.006176	ND	Pass	Kresoxim Methyl	0.006176	0.01235	0.1	ND	Pass
Azoxystrobin	0.006176	0.01235	0.1	ND	Pass	Malathion	0.006176	0.01235	0.5	ND	Pass
Bifenazate	0.006176	0.01235	0.1	ND	Pass	Metalaxyl	0.006176	0.01235	2	ND	Pass
Bifenthrin	0.025	0.05	3	ND	Pass	*Methiocarb	0.006176	0.01235	0.006176	ND	Pass
Boscalid	0.006176	0.01235	0.1	ND	Pass	Methomyl	0.006176	0.01235	1	ND	Pass
Captan	0.2515	0.503	0.7	ND	Pass	*Mevinphos	0.006176	0.01235	0.006176	ND	Pass
Carbaryl	0.006176	0.01235	0.5	ND	Pass	Myclobutanil	0.006176	0.01235	0.1	ND	Pass
*Carbofuran	0.006176	0.01235	0.006176	ND	Pass	Naled	0.006176	0.01235	0.1	ND	Pass
Chlorantraniliprole	0.006176	0.01235	10	ND	Pass	Oxamyl	0.006176	0.01235	0.5	ND	Pass
*Chlordane	0.0314	0.0628	0.0314	ND	Pass	*Paclobutrazol	0.006176	0.01235	0.006176	ND	Pass
*Chlorfenapyr	0.0314	0.0628	0.0314	ND	Pass	*Parathion Methyl	0.032	0.064	0.032	ND	Pass
*Chlorpyrifos	0.006176	0.01235	0.006176	ND	Pass	Pentachloronitrobenzene	0.032	0.064	0.1	ND	Pass
Clofentezine	0.006176	0.01235	0.1	ND	Pass	Permethrin	0.025	0.05	0.5	ND	Pass
*Coumaphos	0.006176	0.01235	0.006176	ND	Pass	Phosmet	0.006176	0.01235	0.1	ND	Pass
Cyfluthrin	0.0247	0.0494	2	ND	Pass	Piperonyl Butoxide	0.006176	0.01235	3	ND	Pass
Cypermethrin	0.01235	0.0247	1	ND	Pass	Prallethrin	0.006176	0.01235	0.1	ND	Pass
*Daminozide	0.006176	0.01235	0.006176	ND	Pass	Propiconazole	0.006176	0.01235	0.1	ND	Pass
Diazinon	0.006176	0.01235	0.1	ND	Pass	*Propoxur	0.006176	0.01235	0.006176	ND	Pass
*Dichlorvos	0.006176	0.01235	0.006176	ND	Pass	Pyrethrins	0.03124	0.0625	0.5	ND	Pass
*Dimethoate	0.006176	0.01235	0.006176	ND	Pass	Pyridaben	0.006176	0.01235	0.1	ND	Pass
Dimethomorph	0.006176	0.01235	2	ND	Pass	Spinetoram	0.006176	0.01235	0.1	ND	Pass
*Ethoprophos	0.006176	0.01235	0.006176	ND	Pass	Spinosad	0.012352	0.0247	0.1	ND	Pass
*Etofenprox	0.006176	0.01235	0.006176	ND	Pass	Spiromesifen	0.006176	0.01235	0.1	ND	Pass
Etoazole	0.006176	0.01235	0.1	ND	Pass	Spirotetramat	0.006176	0.01235	0.1	ND	Pass
Fenhexamid	0.006176	0.01235	0.1	ND	Pass	*Spiroxamine	0.006176	0.01235	0.006176	ND	Pass
*Fenoxycarb	0.0125	0.025	0.0125	ND	Pass	Tebuconazole	0.006176	0.01235	0.1	ND	Pass
Fenpyroximate	0.006176	0.01235	0.1	ND	Pass	*Thiacloprid	0.006176	0.01235	0.006176	ND	Pass
*Fipronil	0.006176	0.01235	0.006176	ND	Pass	Thiamethoxam	0.006176	0.01235	5	ND	Pass
Flonicamid	0.006176	0.01235	0.1	ND	Pass	Trifloxystrobin	0.006176	0.01235	0.1	ND	Pass

Date Tested: 11/28/2022

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS). Samples were collected as per 4 CCR Section 15707. * Category I residual pesticides



S. M. Annigeri

Satish Annigeri
Scientific Director
11/29/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-PM-003. Moisture Content Method: CCTL-PM-027. Water Activity Method: CCTL-PM-028. This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Informational Use Only - Not For Regulatory Use

3 of 5

TREHouse-Syrup-Bussing Berry 1000mg

Sample ID: 2211CCT5584.14560

Strain: Bussing Berry

Matrix: Ingestible

Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 11/22/2022

Received: 11/22/2022

Completed: 11/29/2022

Batch#: D92-BB1000

Distributor

TRE House

Lic. #

19851 Nordhoff Place #105
Chatsworth, CA 91311

Producer

R&D

Microbials

Pass

Analyte

Result

Shiga toxin-producing E. Coli

CFU/g

Salmonella SPP

Not Detected in 1g

Not Detected in 1g

Date Tested: 11/25/2022

TNTC = Too Numerous to Count; All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012. Samples were collected as per 4 CCR Section 15707.



S. M. Annigeri

Satish Annigeri
Scientific Director
11/29/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-PM-003. Moisture Content Method: CCTL-PM-027. Water Activity Method: CCTL-PM-028. This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Informational Use Only - Not For Regulatory Use

4 of 5

TREHouse-Syrup-Bussing Berry 1000mg

Sample ID: 2211CCT5584.14560

Strain: Bussing Berry

Matrix: Ingestible

Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 11/22/2022

Received: 11/22/2022

Completed: 11/29/2022

Batch#: D92-BB1000

Distributor

TRE House

Lic. #

19851 Nordhoff Place #105
Chatsworth, CA 91311

Producer

R&D

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
*1-2-Dichloro-Ethane	0.15	0.25	1.00	ND	Pass
Acetone	23.37	45.27	5000.00	ND	Pass
Acetonitrile	23.37	44.41	410.00	ND	Pass
*Benzene	0.15	0.28	1.00	ND	Pass
Butane	23.37	108.35	5000.00	<LOQ	Pass
*Chloroform	0.15	0.31	1.00	ND	Pass
Ethanol	23.37	47.06	5000.00	4009.62	Pass
Ethyl-Acetate	23.37	44.35	5000.00	ND	Pass
Ethyl-Ether	23.37	45.79	5000.00	ND	Pass
*Ethylene Oxide	0.15	0.30	1.00	ND	Pass
Heptane	23.37	49.09	5000.00	ND	Pass
Isopropanol	23.37	45.72	5000.00	ND	Pass
Methanol	23.37	43.99	3000.00	ND	Pass
*Methylene-Chloride	0.15	0.30	1.00	ND	Pass
n-Hexane	23.37	56.86	290.00	ND	Pass
Pentane	23.37	53.62	5000.00	ND	Pass
Propane	46.73	115.27	5000.00	ND	Pass
Toluene	23.37	43.33	890.00	ND	Pass
*Trichloroethene	0.15	0.30	1.00	ND	Pass
Total Xylenes	46.73	86.40	2170.00	ND	Pass

Date Tested: 11/25/2022

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730. Instrument: GC; Method: CCTL-PM010. Samples were collected as per 4 CCR Section 15707. * Category I residual solvents



S. M. Annigeri

Satish Annigeri
Scientific Director
11/29/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-PM-003. Moisture Content Method: CCTL-PM-027. Water Activity Method: CCTL-PM-028. This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Informational Use Only - Not For Regulatory Use

5 of 5

TREHouse-Syrup-Bussing Berry 1000mg

Sample ID: 2211CCT5584.14560

Strain: Bussing Berry

Matrix: Ingestible

Type: Syrup/Honey

Sample Size: ; Batch:

Produced:

Collected: 11/22/2022

Received: 11/22/2022

Completed: 11/29/2022

Batch#: D92-BB1000

Distributor

TRE House

Producer

R&D

Lic. #

19851 Nordhoff Place #105
Chatsworth, CA 91311

Heavy Metals

Pass



Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.016190454	0.1	1.5	ND	Pass
Cadmium	0.017157262	0.1	0.5	ND	Pass
Chromium	0.0333	0.1	0.6	NR	NT
Lead	0.014850831	0.1	0.5	ND	Pass
Mercury	0.008172028	0.02	3	ND	Pass

Date Tested: 11/25/2022

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730. Instrument: ICP-MS; Method: CCTL-PM005. Samples were collected as per 4 CCR Section 15707.



S. M. Annigeri

Satish Annigeri
Scientific Director
11/29/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-PM-003. Moisture Content Method: CCTL-PM-027. Water Activity Method: CCTL-PM-028. This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.