

Sample TRE House - Mushroom Vape - Pink Lemonade

|            |    |      |    |                                |    |            |    |
|------------|----|------|----|--------------------------------|----|------------|----|
| Delta9 THC | ND | THCa | ND | Total THC (THCa * 0.877 + THC) | ND | Delta8 THC | ND |
|------------|----|------|----|--------------------------------|----|------------|----|



|                                                 |                       |                      |
|-------------------------------------------------|-----------------------|----------------------|
| Sample ID SD260602-047 (140187)                 | Matrix Concentrate    | Batch ID PL1515      |
| Tested for TRE House                            |                       |                      |
| Received Jun 02, 2026                           | Reported Jun 25, 2026 |                      |
| Analyses executed CAN+, 4AD, AMU, TRY, PSY, FPT | Unit Mass (g) 2.0     | Density (g/mL) 0.995 |

CAN+ - Cannabinoids

Analyzed Jun 04, 2026 | Instrument HPLC-VWD | Method SOP-001  
The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte                                          | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Unit |
|--------------------------------------------------|----------|----------|----------|-------------|----------------|
| Cannabidiol (CBD)                                | 0.039    | 0.16     | ND       | ND          | ND             |
| Cannabidiol (CBD)                                | 0.011    | 0.03     | ND       | ND          | ND             |
| Cannabidiol (CBD)                                | 0.033    | 0.16     | ND       | ND          | ND             |
| Cannabidiol (CBD)                                | 0.033    | 0.16     | ND       | ND          | ND             |
| Cannabidiol (CBD)                                | 0.048    | 0.16     | ND       | ND          | ND             |
| Cannabidiol (CBD)                                | 0.069    | 0.229    | ND       | ND          | ND             |
| Tetrahydrocannabinol (THC)                       | 0.049    | 0.16     | ND       | ND          | ND             |
| Cannabinol (CBN)                                 | 0.047    | 0.16     | ND       | ND          | ND             |
| Tetrahydrocannabinol (THC)                       | 0.092    | 0.307    | ND       | ND          | ND             |
| Δ8-tetrahydrocannabinol (Δ8-THC)                 | 0.044    | 0.16     | ND       | ND          | ND             |
| Cannabicyclol (CBL)                              | 0.0012   | 0.16     | ND       | ND          | ND             |
| Cannabichromene (CBC)                            | 0.13     | 0.432    | ND       | ND          | ND             |
| Tetrahydrocannabinol (THC)                       | 0.117    | 0.389    | ND       | ND          | ND             |
| Total THC (THCa * 0.877 + Δ9THC)                 |          |          | ND       | ND          | ND             |
| Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC) |          |          | ND       | ND          | ND             |
| Total CBD (CBDa * 0.877 + CBD)                   |          |          | ND       | ND          | ND             |
| Total CBG (CBGa * 0.877 + CBG)                   |          |          | ND       | ND          | ND             |
| Total Cannabinoids Analyzed                      |          |          | ND       | ND          | ND             |

4AD - 4AD Tryptamines

Analyzed Jun 04, 2026 | Instrument HPLC VWD | Method SOP-4AD  
The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte                      | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Unit |
|------------------------------|---------|---------|----------|-------------|----------------|
| Mescaline (MESC)             | 0.19    | 0.584   | ND       | ND          | ND             |
| N-methyl Tryptamine (NMT)    | 0.004   | 0.013   | ND       | ND          | ND             |
| 4-Hydroxy-MET (4-HO-MET)     | 0.013   | 0.04    | ND       | ND          | ND             |
| n,n Dimethyltryptamine (DMT) | 0.015   | 0.048   | ND       | ND          | ND             |
| Psilocybin (PSLA)            | 0.015   | 0.044   | ND       | ND          | ND             |
| 4-Hydroxy-DET (4-HO-DET)     | 0.014   | 0.042   | ND       | ND          | ND             |
| 4-Acetoxy-MET (4-AcO-MET)    | 0.018   | 0.053   | ND       | ND          | ND             |
| 4-Acetoxy-DET (4-AcO-DET)    | 0.004   | 0.011   | ND       | ND          | ND             |
| 4-Bromo-DMP (2C-B)           | 0.19    | 0.576   | ND       | ND          | ND             |

AMU - Amanita Muscaria

Analyzed Jun 02, 2026 | Instrument HPLC VWD | Method SOP-039 AMU  
The expanded Uncertainty of the Amanita Muscaria analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte              | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Unit |
|----------------------|---------|---------|----------|-------------|----------------|
| Ibotenic Acid (IBOA) | 1.025   | 3.105   | ND       | ND          | ND             |
| Muscimol (MUOL)      | 0.19    | 0.576   | ND       | ND          | ND             |

TRY - Tryptamine

Analyzed Jun 04, 2026 | Instrument HPLC VWD | Method SOP-TRY  
The expanded Uncertainty of the Tryptamine analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte              | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Unit |
|----------------------|---------|---------|----------|-------------|----------------|
| Norbaeocystin (NORB) | 0.01    | 0.029   | ND       | ND          | ND             |
| Baeocystin (BAEO)    | 0.01    | 0.029   | ND       | ND          | ND             |
| Aeruginosin (AERU)   | 0.007   | 0.022   | ND       | ND          | ND             |
| Norpsilocin (NORP)   | 0.003   | 0.009   | ND       | ND          | ND             |

PSY - Psilocybin & Psilocin

Analyzed Jun 04, 2026 | Instrument HPLC VWD | Method SOP-PSY  
The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte           | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Unit |
|-------------------|---------|---------|----------|-------------|----------------|
| Psilocybin (PSCY) | 0.007   | 0.019   | ND       | ND          | ND             |
| Psilocin (PSCI)   | 0.003   | 0.009   | ND       | ND          | ND             |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Thu, 25 Jun 2026 14:30:16 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

HME - Heavy Metals

Analyzed Jun 24, 2026 | Instrument ICP/MSMS | Method SOP-005

| Analyte      | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009   | 0.0027   | ND          | 1.5        |
| Cadmium (Cd) | 0.0005   | 0.0015   | 0.00        | 0.5        |
| Mercury (Hg) | 0.0058   | 0.0174   | 0.00        | 3          |
| Lead (Pb)    | 0.0006   | 0.0018   | ND          | 0.5        |

MIBIG - Microbial

Analyzed Jun 22, 2026 | Instrument Plating | Method SOP-007

| Analyte                                | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|----------------------------------------|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0       | 1.0       | ND           | 1           |
| Salmonella spp.                        | 1.0       | 1.0       | ND           | 1           |
| Aspergillus fumigatus                  | 1.0       | 1.0       | ND           | 1           |
| Aspergillus flavus                     | 1.0       | 1.0       | ND           | 1           |
| Aspergillus niger                      | 1.0       | 1.0       | ND           | 1           |
| Aspergillus terreus                    | 1.0       | 1.0       | ND           | 1           |

MTO - Mycotoxin

Analyzed Jun 16, 2026 | Instrument LC/MSMS | Method SOP-004

| Analyte      | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte          | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0       | 20.0      | ND           | 20          | Aflatoxin B1     | 2.5       | 5.0       | ND           | -           |
| Aflatoxin B2 | 2.5       | 5.0       | ND           | -           | Aflatoxin G1     | 2.5       | 5.0       | ND           | -           |
| Aflatoxin G2 | 2.5       | 5.0       | ND           | -           | Total Aflatoxins | 10.0      | 20.0      | ND           | 20          |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
Thu, 25 Jun 2026 14:30:16 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Jun 16, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte                 | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte               | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb                | 0.01     | 0.02     | ND          |            | Carbofuran            | 0.01     | 0.02     | ND          |            |
| Dimethoate              | 0.01     | 0.02     | ND          |            | Etofenprox            | 0.02     | 0.1      | ND          |            |
| Fenoxycarb              | 0.01     | 0.02     | ND          |            | Thiachloprid          | 0.01     | 0.02     | ND          |            |
| Daminozide              | 0.01     | 0.03     | ND          |            | Dichlorvos            | 0.02     | 0.07     | ND          |            |
| Imazalil                | 0.02     | 0.07     | ND          |            | Methiocarb            | 0.01     | 0.02     | ND          |            |
| Spiroxamine             | 0.01     | 0.02     | ND          |            | Coumaphos             | 0.01     | 0.02     | ND          |            |
| Fipronil                | 0.01     | 0.1      | ND          |            | Paclobutrazol         | 0.01     | 0.03     | ND          |            |
| Chlorpyrifos            | 0.01     | 0.04     | ND          |            | Ethoprophos (Prophos) | 0.01     | 0.02     | ND          |            |
| Baygon (Propoxur)       | 0.01     | 0.02     | ND          |            | Chlordane             | 0.04     | 0.1      | ND          |            |
| Chlorfenapyr            | 0.03     | 0.1      | ND          |            | Methyl Parathion      | 0.02     | 0.1      | ND          |            |
| Mevinphos               | 0.03     | 0.08     | ND          |            | Abamectin             | 0.03     | 0.08     | ND          |            |
| Acephate                | 0.02     | 0.05     | ND          |            | Acetamiprid           | 0.01     | 0.05     | ND          |            |
| Azoxystrobin            | 0.01     | 0.02     | ND          |            | Bifenazote            | 0.01     | 0.05     | ND          |            |
| Bifenthrin              | 0.02     | 0.35     | ND          |            | Boscalid              | 0.01     | 0.03     | ND          |            |
| Carbaryl                | 0.01     | 0.02     | ND          |            | Chlorantranilprole    | 0.01     | 0.04     | ND          |            |
| Clofentezine            | 0.01     | 0.03     | ND          |            | Diazinon              | 0.01     | 0.02     | ND          |            |
| Dimethomorph            | 0.02     | 0.06     | ND          |            | Etoxazole             | 0.01     | 0.05     | ND          |            |
| Fenproximate            | 0.02     | 0.1      | ND          |            | Flonicamid            | 0.01     | 0.02     | ND          |            |
| Fludioxonil             | 0.01     | 0.05     | ND          |            | Hexythiazox           | 0.01     | 0.03     | ND          |            |
| Imidacloprid            | 0.01     | 0.05     | ND          |            | Kresoxim-methyl       | 0.01     | 0.03     | ND          |            |
| Malathion               | 0.01     | 0.05     | ND          |            | Metolaxyl             | 0.01     | 0.02     | ND          |            |
| Methomyl                | 0.02     | 0.05     | ND          |            | Myclobutanil          | 0.02     | 0.07     | ND          |            |
| Naled                   | 0.01     | 0.02     | ND          |            | Oxamyl                | 0.01     | 0.02     | ND          |            |
| Permethrin              | 0.01     | 0.02     | ND          |            | Phosmet               | 0.01     | 0.02     | ND          |            |
| Piperonyl Butoxide      | 0.02     | 0.06     | ND          |            | Propiconazole         | 0.03     | 0.08     | ND          |            |
| Prallethrin             | 0.02     | 0.05     | ND          |            | Pyrethrin             | 0.05     | 0.41     | ND          |            |
| Pyridaben               | 0.02     | 0.07     | ND          |            | Spinosad A            | 0.01     | 0.05     | ND          |            |
| Spinosad D              | 0.01     | 0.05     | ND          |            | Spiromesifen          | 0.02     | 0.06     | ND          |            |
| Spirotetramat           | 0.01     | 0.02     | ND          |            | Tebuconazole          | 0.01     | 0.02     | ND          |            |
| Thiamethoxam            | 0.01     | 0.02     | ND          |            | Trifloxystrobin       | 0.01     | 0.02     | ND          |            |
| Acequinocyl             | 0.02     | 0.09     | ND          |            | Captan                | 0.01     | 0.02     | ND          |            |
| Cypermethrin            | 0.02     | 0.1      | ND          |            | Cyfluthrin            | 0.04     | 0.1      | ND          |            |
| Fenhexamid              | 0.02     | 0.07     | ND          |            | Spinetoram J,L        | 0.02     | 0.07     | ND          |            |
| Pentachloronitrobenzene | 0.01     | 0.1      | ND          |            |                       |          |          |             |            |

RES - Residual Solvents

Analyzed Jun 17, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte                    | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte                       | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|-------------------------------|----------|----------|-------------|------------|
| Propane (Prop)             | 0.044    | 0.4      | ND          | 5000       | Butane (But)                  | 0.02     | 0.4      | ND          | 5000       |
| Methanol (Metha)           | 1.176    | 3.92     | ND          | 3000       | Ethylene Oxide (EthOx)        | 0.08     | 0.4      | ND          | 1          |
| Pentane (Pen)              | 0.024    | 0.4      | ND          | 5000       | Ethanol (Ethanol)             | 0.048    | 0.4      | ND          | 5000       |
| Ethyl Ether (EthEt)        | 0.036    | 0.4      | ND          | 5000       | Acetone (Acet)                | 0.044    | 0.4      | ND          | 5000       |
| Isopropanol (2-Pro)        | 1.16     | 3.868    | <LOQ        | 5000       | Acetonitrile (Acetonit)       | 0.888    | 2.952    | ND          | 410        |
| Methylene Chloride (MetCh) | 0.04     | 0.4      | ND          | 1          | Hexane (Hex)                  | 0.012    | 0.4      | ND          | 290        |
| Ethyl Acetate (EthAc)      | 0.032    | 0.4      | ND          | 5000       | Chloroform (Clo)              | 0.028    | 0.4      | ND          | 1          |
| Benzene (Ben)              | 0.012    | 0.4      | ND          | 1          | 1,2-Dichloroethane (1,2-Dich) | 0.024    | 0.4      | ND          | 1          |
| Heptane (Hep)              | 0.012    | 0.4      | ND          | 5000       | Trichloroethylene (TriClEth)  | 0.072    | 0.4      | ND          | 1          |
| Toluene                    | 0.036    | 0.4      | ND          | 890        | Xylenes (Xyl)                 | 0.012    | 0.4      | ND          | 2170       |

FVI - Filth & Foreign Material Inspection

Analyzed Jun 12, 2026 | Instrument Microscope | Method SOP-010

| Analyte / Limit                                                        | Result | Analyte / Limit                                                        | Result |
|------------------------------------------------------------------------|--------|------------------------------------------------------------------------|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND     | > 1/4 of the total sample area covered by mold                         | ND     |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g       | ND     | > 1/4 of the total sample area covered by an imbedded foreign material | ND     |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
Thu, 25 Jun 2026 14:30:16 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 209 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.